

EAS 1  
2/2/04

L Number	Hits	Search Text	DB
-	1	"20030038443"	USPAT; US-PGPUB
-	70	280/711.iior.	USPAT; US-PGPUB
-	181	280/711.icls.	USPAT; US-PGPUB
-	111	280/711.ixr.	USPAT; US-PGPUB
-	111	280/711.cixr.	USPAT; US-PGPUB
-	70	280/711.cior.	USPAT; US-PGPUB
-	181	280/711.iior. 280/711.icls. 280/711.ixr. 280/711.cixr. 280/711.cior.	USPAT; US-PGPUB
-	200	267/256.ccls.	USPAT; US-PGPUB
-	576	(air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same valve	USOCR
-	29	((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same valve) same manual same (control or switch)	USOCR
-	599	(air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same valve	USPAT; US-PGPUB; EPO; JPO; DERWENT
-	91	switch same soft same hard same medium	USPAT; US-PGPUB; EPO; JPO; DERWENT
-	64	((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same valve) and manual same (control or switch)	USPAT; US-PGPUB; EPO; JPO; DERWENT
-	1	1993-258504.NRAN.	DERWENT
-	426	((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same valve) and (280/\$.ccls. or 267/\$.ccls.)	USOCR
-	5	"15" and (switch or motor relay or electr\$6) same valve	USOCR
-	0	((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same valve) and (280/\$.ccls. or 267/\$.ccls.)) and control adj panel	USOCR
-	73	((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same valve) and (280/\$.ccls. or 267/\$.ccls.)) and control same switch	USOCR
-	28	((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same valve) and (280/\$.ccls. or 267/\$.ccls.)) and control same switch same (driver or operator)	USOCR
-	15	((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same valve) and (280/\$.ccls. or 267/\$.ccls.)) and control same switch same manual\$4	USOCR
-	0	3079170.pn. and control same switch same manual\$4	USOCR
-	0	3079170.pn. and switch same manual\$4	USOCR
-	1	3079170.pn. and switch	USOCR
-	151	280/124.102.ccls.	USPAT; US-PGPUB
-	76	280/124.102.ccls.	USOCR
-	11	280/124.102.ccls. and switch	USOCR
-	22	280/124.102.ccls. and switch	USPAT; US-PGPUB
-	26	280/6.153.ccls. and switch	USPAT; US-PGPUB
-	6	280/6.153.ccls. and switch	USOCR
-	62	280/5.519.ccls. and switch	USPAT; US-PGPUB
-	0	280/5.519.ccls. and switch	USOCR
-	921	(air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle	USOCR

-	1309	(air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle	USPAT; US-PGPUB
-	222	(air or pneumatic) and 280/124.157,124.16.ccls.	USPAT; US-PGPUB
-	11	(air or pneumatic) and switch same manual\$4 and 280/124.157,124.16.ccls.	USPAT; US-PGPUB
-	7	(air or pneumatic) and switch same manual\$4 and 280/124.157,124.16.ccls.	USOCR
-	8	267/256.ccls. and switch	USOCR
-	3	267/256.ccls. and switch	USPAT; US-PGPUB
-	8936	linear adj motor	USPAT; US-PGPUB
-	0	linear adj motor and 188/299.1.ccls.	USPAT; US-PGPUB
-	0	(air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same valve and 188/299.1.ccls.	USOCR
-	19	motor and 188/299.1.ccls.	USPAT; US-PGPUB
-	124	(air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle and switch same (electromotor or electrical or electric)	USPAT; US-PGPUB
-	101	(air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle and switch same (electromotor or electrical or electric)	USOCR
-	1	2934353.URPN.	USPAT
-	120	(air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle and switch and 280/5.5-6.16,124.1-124.179.ccls.	USPAT; US-PGPUB
-	70	(air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle and switch and 280/5.5-6.16,124.1-124.179.ccls.	USOCR
-	70	((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle and switch and 280/5.5-6.16,124.1-124.179.ccls.)	USOCR
-	120	((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle and switch and 280/5.5-6.16,124.1-124.179.ccls.)	USPAT; US-PGPUB
-	180	267/64.11-64.28.ccls. and switch	USPAT; US-PGPUB
-	129	267/64.11-64.28.ccls. and switch same valve	USPAT; US-PGPUB
-	100	267/64.11-64.28.ccls. and switch same valve	USOCR
-	576	(air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same valve	USOCR
-	353	(air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same valve	USPAT; US-PGPUB
-	36	((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same valve ) and (267/64.11-64.28.ccls. and switch same valve)	USOCR
-	19	((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same valve ) and (267/64.11-64.28.ccls. and switch)	USPAT; US-PGPUB
-	8944	280/5.5-6.16,124.1-124.179.ccls.	USPAT; US-PGPUB
-	4697	280/5.5-6.16,124.1-124.179.ccls.	USOCR
-	921	(air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle	USOCR
-	1309	(air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle	USPAT; US-PGPUB
-	355	(air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same (link or lever or arm) same pivot\$6	USPAT; US-PGPUB
-	450	(air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same (link or lever or arm) same pivot\$6	USOCR
-	1	((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same (link or lever or arm) same pivot\$6) and rocker adj switch	USPAT; US-PGPUB
-	48	((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same (link or lever or arm) same pivot\$6) and switch	USPAT; US-PGPUB

-	102	((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle ) same switch	USOCR
-	334	280/5.5-6.16,124.1-124.179.ccls. and ((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle )	USOCR
-	535	280/5.5-6.16,124.1-124.179.ccls. and ((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle )	USPAT; US-PGPUB
-	70	( 280/5.5-6.16,124.1-124.179.ccls. and ((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle )) and switch	USOCR
-	120	( 280/5.5-6.16,124.1-124.179.ccls. and ((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle )) and switch	USPAT; US-PGPUB
-	60	( 280/5.5-6.16,124.1-124.179.ccls. and ((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle )) and switch same (manual or manually or driver or operator)	USPAT; US-PGPUB
-	30	( 280/5.5-6.16,124.1-124.179.ccls. and ((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle )) and switch same (manual or manually or driver or operator)	USOCR
-	554	switch same (manual or manually or driver or operator) same ride same firm\$5	USOCR
-	30	switch same (manual or manually or driver or operator) same ride same firm\$5	USPAT; US-PGPUB
-	0	(switch same (manual or manually or driver or operator) same ride same firm\$5) and 267/64.11-64.28.ccls.	USOCR
-	0	(switch same (manual or manually or driver or operator) same ride same firm\$5) and 280/5.5-6.16,124.1-124.179.ccls.	USOCR
-	13521	switch same (manual or manually or driver or operator) same (air or pneumatic)	USPAT; US-PGPUB
-	2407	switch same (manual or manually or driver or operator) same (air or pneumatic) same (bladder or spring or bag or bellows!)	USPAT; US-PGPUB
-	67	switch same (manual or manually or driver or operator) same (air or pneumatic) same (bladder or spring or bag or bellows!) same axle	USPAT; US-PGPUB
-	2	5449194.URPN.	USPAT
-	112335	(280/\$.ccls. or 267/\$.ccls.)	USPAT; US-PGPUB
-	164	((280/\$.ccls. or 267/\$.ccls.) ) and axle same (valve or actuator) same (lever or link) same pivot\$4	USPAT; US-PGPUB
-	35	((280/\$.ccls. or 267/\$.ccls.) ) and axle same (valve or actuator) same (lever or link) same pivot\$4 and control same switch	USPAT; US-PGPUB
-	17	((280/\$.ccls. or 267/\$.ccls.) ) and axle same (valve or actuator) same (lever or link) same pivot\$4 and control same switch same (manual\$4 or driver)	USPAT; US-PGPUB
-	59	(280/\$.ccls. or 267/\$.ccls.) and axle same (valve or actuator) same (lever or link) same pivot\$4 and control same switch same (manual\$4 or driver)	USOCR
-	318	(267/64.28).CCLS.	USPAT; US-PGPUB
-	36	267/64.28.ccls. and switch	USPAT; US-PGPUB
-	10	267/64.28.ccls. and switch	USOCR
-	5	267/64.28.ccls. and switch same axle	USOCR
-	5	267/64.28.ccls. and switch same axle	USPAT; US-PGPUB
-	2	267/64.11-64.28.ccls. and switch same (manual or manually) same (driver or operator or user) same vehicle same axle	USPAT; US-PGPUB
-	29471	switch same (manual or manually) same (driver or operator or user or control adj panel or dashboard)	USPAT; US-PGPUB
-	34962	switch same (manual or manually) same (driver or operator or user or control adj panel or dashboard)	USOCR
-	44	( switch same (manual or manually) same (driver or operator or user or control adj panel or dashboard) ) and 267/\$.ccls.	USOCR
-	1	3120962.URPN.	USPAT
-	30	( switch same (manual or manually) same (driver or operator or user or control adj panel or dashboard) ) and ((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same valve )	USPAT; US-PGPUB

-	120	( switch same (manual or manually) same (driver or operator or user or control adj panel or dashboard) ) and 280/5.5-6.16,124.1-124.179.ccls.	USPAT; US-PGPUB
-	12	( switch same (manual or manually) same (driver or operator or user or control adj panel or dashboard) ) and (267/64.11-64.28.ccls. and switch same valve)	USOCR
-	11	( switch same (manual or manually) same (driver or operator or user or control adj panel or dashboard) ) and ((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same valve )	USOCR
-	8	( switch same (manual or manually) same (driver or operator or user or control adj panel or dashboard) ) and ((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same (link or lever or arm) same pivot\$6)	USOCR
-	21	(( switch same (manual or manually) same (driver or operator or user or control adj panel or dashboard) ) and (267/64.11-64.28.ccls. and switch same valve)) (( switch same (manual or manually) same (driver or operator or user or control adj panel or dashboard) ) and ((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same valve )) (( switch same (manual or manually) same (driver or operator or user or control adj panel or dashboard) ) and ((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same (link or lever or arm) same pivot\$6))	USOCR
-	21	(( switch same (manual or manually) same (driver or operator or user or control adj panel or dashboard) ) and (267/64.11-64.28.ccls. and switch same valve)) or (( switch same (manual or manually) same (driver or operator or user or control adj panel or dashboard) ) and ((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same valve )) or (( switch same (manual or manually) same (driver or operator or user or control adj panel or dashboard) ) and ((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same (link or lever or arm) same pivot\$6))	USOCR
-	1	switch same (manual or manually) same (driver or operator or user or control adj panel or dashboard) same firm same soft same medium	USPAT; US-PGPUB
-	10	switch same (manual or manually) same (driver or operator or user or control adj panel or dashboard) same hard same soft same medium	USPAT; US-PGPUB
-	2	switch same (manual or manually) same (driver or operator or user or control adj panel or dashboard) same firm same soft same medium	USOCR
-	3	switch same (manual or manually) same (driver or operator or user or control adj panel or dashboard) same hard same soft same medium	USOCR
-	0	switch same (manual or manually) same (driver or operator or user or control adj panel or dashboard) same stiffness same (air or pneumatic) adj (bag or spring or bellows!)	USPAT; US-PGPUB
-	90	switch same (manual or manually) same (driver or operator or user or control adj panel or dashboard) same (air or pneumatic) adj (bag or spring or bellows!)	USPAT; US-PGPUB
-	67	switch same (manual or manually) same (driver or operator or user or control adj panel or dashboard) same (air or pneumatic) adj (bag or spring or bellows!)	USOCR
-	24	movable near3 valve same (rail or track) same (motor or electromotor)	USPAT; US-PGPUB
-	3	valve same (rail or track) same (motor or electromotor) same axle same (air or pneumatic) near3 (bellows! or spring or bag)	USPAT; US-PGPUB
-	57	valve same (motor or electromotor or linear) same axle same (air or pneumatic) near3 (bellows! or spring or bag)	USPAT; US-PGPUB
-	1	valve same (motor or electromotor or linear) same axle same (air or pneumatic) near3 (bellows! or spring or bag) same switch same (remote or remotely or driver or operator)	USPAT; US-PGPUB
-	2	valve same (motor or electromotor or linear) same axle same (air or pneumatic) near3 (bellows! or spring or bag) same switch same (remote or manual or manually or remotely or driver or operator)	USPAT; US-PGPUB

	1	BONTRAGER.in. and REINER.in.	USPAT; US-PGPUB
	1	BONTRAGER.in. and REINER.in.	USPAT; US-PGPUB
	625	((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same valve)	USPAT; US-PGPUB; EPO; JPO; DERWENT USOCR
	28	((((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same valve) and (280/\$.ccls. or 267/\$.ccls.)) and control same switch same (driver or operator)	
	104	((((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same valve) ) same (rod or shaft or staff or arm) near5 axle	USPAT; US-PGPUB; EPO; JPO; DERWENT
	4	((((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same valve) ) same (rod or shaft or staff or arm) near5 axle same switch	USPAT; US-PGPUB; EPO; JPO; DERWENT
	73	((((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same valve) ) same switch	USPAT; US-PGPUB; EPO; JPO; DERWENT
	9	4733876.URPN.	USPAT
	1	1978-E2183A.NRAN.	DERWENT
	42	((((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same valve) ) same manual\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT
	0	((((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same valve) ) same switch same cab	USPAT; US-PGPUB; EPO; JPO; DERWENT
	8	((((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same valve) ) same manual\$5 same cab	USPAT; US-PGPUB; EPO; JPO; DERWENT
	7	((((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same valve) ) same switch same cab	USPAT; US-PGPUB; EPO; JPO; DERWENT
	66	((((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same valve) ) same (cab or tractor)	USPAT; US-PGPUB; EPO; JPO; DERWENT
	2	((((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same valve) ) same (cab or tractor) same (light or display or lamp or indicator)	USPAT; US-PGPUB; EPO; JPO; DERWENT
	25	((((air or pneumatic) adj2 (spring or bladder or bellow or bellows! or bag) same axle same valve) ) and (cab or tractor) same (light or display or lamp or indicator)	USPAT; US-PGPUB; EPO; JPO; DERWENT
	1	("3201141").PN.	USPAT; US-PGPUB
	1387	axle same (air or pneumatic) adj (bag or bellows! or suspension or spring)	USPAT; US-PGPUB
	32	(axle same (air or pneumatic) adj (bag or bellows! or suspension or spring) ) same remote\$4	USPAT; US-PGPUB
	60	(axle same (air or pneumatic) adj (bag or bellows! or suspension or spring) ) same switch	USPAT; US-PGPUB
	69	(axle same (air or pneumatic) adj (bag or bellows! or suspension or spring) ) same cab	USPAT; US-PGPUB
	429	axle same (air or pneumatic) adj (bag or bellows! or suspension or spring) same (valve or actuator)	USPAT; US-PGPUB
	204	axle same (air or pneumatic) adj (bag or bellows! or suspension or spring) same (valve) same (fill or charg\$4 or adjust\$5 or regulat\$5 or expand\$4 or flow near2 air)	USPAT; US-PGPUB

-	220	axle same (air or pneumatic) adj (bag or bellows! or suspension or spring) same (valve or actuator) same (fill or charge\$4 or adjust\$5 or regulate\$5 or expand\$4 or flow near2 air)	USPAT; US-PGPUB
-	20	(axle same (air or pneumatic) adj (bag or bellows! or suspension or spring) same (valve or actuator) same (fill or charge\$4 or adjust\$5 or regulate\$5 or expand\$4 or flow near2 air)) same switch	USPAT; US-PGPUB
-	15	axle same (air or pneumatic) adj (bag or bellows! or suspension or spring) same (valve or actuator) same (fill or charge\$4 or adjust\$5 or regulate\$5 or expand\$4 or flow near2 air) same switch	EPO; JPO; DERWENT
-	1	1986-150947.NRAN.	DERWENT
-	1	("4697822").PN.	USPAT; US-PGPUB
-	38	axle same (air or pneumatic) adj (bag or bellows! or suspension or spring) same (valve or actuator) same (fill or charge or regulate or expand or expandable or flow near2 air) same switch	USOCR
-	1	3120962.pn. and load	USOCR
-	43	axle same (air or pneumatic) adj (bag or bellows! or suspension or spring) same (valve or actuator) same switch	USPAT; US-PGPUB
-	82	axle same (air or pneumatic) adj (bag or bellows! or suspension or spring) same (valve or actuator) same switch	USOCR
-	291	(280/6.157).CCLS.	USPAT; US-PGPUB
-	291	280/6.157.ccls.	USPAT; US-PGPUB
-	95	280/6.157.ccls.	USOCR
-	144	280/6.157.ccls. and (air or pneumatic)	USPAT; US-PGPUB
-	66	280/6.157.ccls. and (air or pneumatic)	USOCR
-	586	280/dig.1.ccls.	USPAT; US-PGPUB
-	93	280/dig.1.ccls. and (air or pneumatic) same valve	USPAT; US-PGPUB
-	317	280/dig.1.ccls. and (air or pneumatic) same valve	USOCR
-	33	280/dig.1.ccls. and (air or pneumatic) same valve same axle	USPAT; US-PGPUB
-	240	280/dig.1.ccls. and (air or pneumatic) same valve same axle	USOCR
-	209	280/dig.1.ccls. and (air or pneumatic) same valve same axle same load\$4	USOCR
-	18	280/dig.1.ccls. and (air or pneumatic) same valve same axle same load\$4	USPAT; US-PGPUB
-	209	280/dig.1.ccls. and (air or pneumatic) same valve same axle same load\$4	USOCR
-	78	280/\$.ccls. and (air or pneumatic) same valve same axle same load\$4 same switch	USOCR
-	34	280/dig.1.ccls. and (air or pneumatic) same valve same axle same load\$4 same switch	USOCR
-	44	(280/\$.ccls. and (air or pneumatic) same valve same axle same load\$4 same switch) not (280/dig.1.ccls. and (air or pneumatic) same valve same axle same load\$4 same switch)	USOCR
-	37	267/\$.ccls. and (air or pneumatic) same valve same axle same load\$4 same switch	USOCR
-	4	267/\$.ccls. and (air or pneumatic) same valve same axle same load\$4 same switch	USPAT; US-PGPUB
-	354	(air or pneumatic) same valve same axle same switch same load\$4	USOCR
-	37	(air or pneumatic) near3 (bellows! or bag or spring or suspension) same valve same axle same switch same load\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT
-	73	(air or pneumatic) near3 (bellows! or bag or spring or suspension) same valve same axle same switch same load\$4	USOCR
-	2	"20030038443"	USPAT; US-PGPUB; EPO; JPO; DERWENT
-	1	2003-289518.NRAN.	DERWENT

-	1	axle same (air or pneumatic) adj (bag or bellows! or suspension or spring) same (valve or actuator) same (fill or charge or charging or adjust or adjusting or regulate or expand or flow near2 air) same switch same cab same tractor	USOCR
-	3	axle same (air or pneumatic) adj (bag or bellows! or suspension or spring) same (valve or actuator) same (fill or charge or charging or adjust or adjusting or regulate or expand or flow near2 air) same switch same cab same tractor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	3	axle same (air or pneumatic) adj (bag or bellows! or suspension or spring) same (valve or actuator) same (fill or charge or charging or adjust or adjusting or regulate or expand or flow near2 air) same switch same cab same tractor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	3	(air or pneumatic) adj (bag or bellows! or suspension or spring) same (valve or actuator) same (fill or charge or charging or adjust or adjusting or regulate or expand or flow near2 air) same (manual or manually or switch) same cab same tractor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	140	(air or pneumatic) adj (bag or bellows! or suspension or spring) same (valve or actuator) same (fill or charge or charging or adjust or adjusting or regulate or expand or flow near2 air) same (manual or manually or switch) same (vehicle or cab or towing or tractor )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	0	20030038443.URPN.	USPAT
-	0	(air or pneumatic) adj (bag or bellows! or suspension or spring) same (valve or actuator) same (fill or charge or charging or adjust or adjusting or regulate or expand or flow near2 air) same (manual or manually or switch) same (vehicle or cab or towing or tractor ) and 188/299.1.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	0	(air or pneumatic) adj (bag or bellows! or suspension or spring) same (valve or actuator) same (manual or manually or switch) same (vehicle or cab or towing or tractor ) and 188/299.1.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	481	(air or pneumatic) adj (bag or bellows! or suspension or spring) same (valve or actuator) same (manual or manually or switch) same (vehicle or cab or towing or tractor )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	166	(air or pneumatic) adj (bag or bellows! or suspension or spring) same (valve or actuator) same (manual or manually or switch) near6 (vehicle or cab or towing or tractor )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	85	(air or pneumatic) adj (bag or bellows! or suspension or spring) same (valve or actuator) same (manual or manually or switch) near6 (vehicle or cab or towing or tractor ) and (188/\$.ccls. or 267/\$.ccls. or 280/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	36	(air or pneumatic) adj (bag or bellows! or suspension or spring) same (valve or actuator) same (manual or manually or switch) near6 (vehicle or cab or towing or tractor ) and axle same load\$4 same (air or pneumatic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	13	4923210.URPN.	USPAT
-	20	(air or pneumatic) adj (bag or bellows! or suspension or spring) same (manual or manually or switch) near6 (vehicle or cab or towing or tractor ) and axle same load\$4 same (air or pneumatic) same (valve or actuator) same (manual or manually or switch)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
-	13	3836161.URPN.	USPAT
-	3	("3592226"   "3592485"   "3605809").PN.	USPAT
-	134	axle same load\$4 same (air or pneumatic) same (valve or actuator) same (manual or manually or switch)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

-	9	(US-4168840-\$ or US-6665597-\$ or US-6431557-\$ or US-3917307-\$ or US-3592485-\$ or US-3592226-\$ or US-6257597-\$ or US-5449194-\$).did. or (US-20030038443-\$).did.	USPAT; US-PGPUB
-	1	(US-2896552-\$).did.	USOCR